

# Engine Controls Connector End Views

- Table 1: [Accelerator Pedal Position \(APP\) Sensor](#)
- Table 2: [Camshaft Position \(CMP\) Sensor](#)
- Table 3: [Crankshaft Position \(CKP\) Sensor](#)
- Table 4: [Engine Coolant Temperature \(ECT\) Sensor](#)
- Table 5: [Evaporative Emission \(EVAP\) Canister Purge Solenoid](#)
- Table 6: [Evaporative Emission \(EVAP\) Canister Vent Solenoid](#)
- Table 7: [Exhaust Gas Recirculation \(EGR\) Valve](#)
- Table 8: [Fuel Injector 1](#)
- Table 9: [Fuel Injector 2](#)
- Table 10: [Fuel Injector 3](#)
- Table 11: [Fuel Injector 4](#)
- Table 12: [Fuel Injector 5](#)
- Table 13: [Fuel Injector 6](#)
- Table 14: [Fuel Injector 7](#)
- Table 15: [Fuel Injector 8](#)
- Table 16: [Fuel Pump And Sender Assembly - Primary](#)
- Table 17: [Fuel Pump And Sender - Secondary](#)
- Table 18: [Fuel Pump \(FP\) Relay - Secondary](#)
- Table 19: [Fuel Tank Pressure \(FTP\) Sensor](#)
- Table 20: [Heated Oxygen Sensor \(HO2S\) Bank 1 Sensor 1 \(Delphi\)](#)
- Table 21: [Heated Oxygen Sensor \(HO2S\) Bank 1 Sensor 2 \(Delphi\)](#)
- Table 22: [Heated Oxygen Sensor \(HO2S\) Bank 2 Sensor 1 \(Delphi\)](#)
- Table 23: [Heated Oxygen Sensor \(HO2S\) Bank 2 Sensor 2 \(Delphi\)](#)
- Table 24: [Heated Oxygen Sensor \(HO2S\) Bank 1 Sensor 1 \(Denso\)](#)
- Table 25: [Heated Oxygen Sensor \(HO2S\) Bank 1 Sensor 2 \(Denso\)](#)
- Table 26: [Heated Oxygen Sensor \(HO2S\) Bank 2 Sensor 1 \(Denso\)](#)
- Table 27: [Heated Oxygen Sensor \(HO2S\) Bank 2 Sensor 2 \(Denso\)](#)
- Table 28: [Heated Oxygen Sensor \(HO2S\) Bank 1 Sensor 1 \(6.0L Only\)](#)
- Table 29: [Heated Oxygen Sensor \(HO2S\) Bank 1 Sensor 2 \(6.0L Only\)](#)
- Table 30: [Heated Oxygen Sensor \(HO2S\) Bank 2 Sensor 1 \(6.0L Only\)](#)
- Table 31: [Heated Oxygen Sensor \(HO2S\) Bank 2 Sensor 2 \(6.0L Only\)](#)
- Table 32: [Idle Air Control \(IAC\) Valve](#)
- Table 33: [Ignition Coils - 1,3,5,7 \(Inline C148\)](#)
- Table 34: [Ignition Coils - 2,4,6,8 \(Inline C149\)](#)
- Table 35: [Intake Air Temperature \(IAT\)/Mass Air Flow \(MAF\) Sensor](#)
- Table 36: [Knock Sensor \(KS\) 1 and Knock Sensor \(KS\) 2](#)
- Table 37: [Manifold Absolute Pressure \(MAP\) Sensor](#)

Table 38: [Secondary Air Injection \(AIR\) Solenoid](#)

Table 39: [Secondary Air Injection \(AIR\) Pump Relay](#)

Table 40: [Secondary Air Injection \(AIR\) Pump](#)

Table 41: [Throttle Actuator Control \(TAC\) Motor](#)

Table 42: [Throttle Position \(TP\) Sensor](#)


Table 43: [Throttle Position \(TP\) Sensor \(Dual Track\)](#)

Table 44: [Vehicle Speed Sensor \(VSS\)](#)

Table 45: [Vehicle Speed Sensor \(VSS\) Adapter \(4WD Only\) - C1](#)

Table 46: [Vehicle Speed Sensor \(VSS\) Adapter \(4WD Only\) - C2](#)

### Accelerator Pedal Position (APP) Sensor




#### Connector Part Information

- 15318071
- 10-Way F Metri-Pack 150 Series (GRY)

Pin	Wire Color	Circuit No.	Function
A	GRY	1273	Low Reference
B	PPL	1272	Low Reference
C	LT BLU	1162	APP Sensor 2 Signal
D	TAN	1274	5 Volt Reference
E	BRN	971	Low Reference
F	DK BLU	1161	APP Sensor 1 Signal
G	WHT/BLK	1164	5 Volt Reference
H	--	--	Not Used
J	YEL/BLK	975	5 Volt Reference
K	DK GRN	1163	APP Sensor 3 Signal

### Camshaft Position (CMP) Sensor




**Connector Part Information**

- 12059595
- 3 Way F Metri-Pack 150 Series (BLK)

Pin	Wire Color	Circuit No.	Function
A	BRN/WHT	633	CMP Sensor Signal
B	PNK/BLK	632	Low Reference
C	RED	631	12 Volt Reference

**Crankshaft Position (CKP) Sensor**




**Connector Part Information**

- 15324165
- 3-Way F Metri-Pack 150 Series (NAT)

Pin	Wire Color	Circuit No.	Function
A	DK BLU /WHT	1869	CKP Sensor Signal
B	YEL	1868	Low Reference
C	LT GRN	1867	12 Volt Reference

**Engine Coolant Temperature (ECT) Sensor**




**Connector Part Information**

- 12162194
- 2 Way F Metri-Pack 150.2 Series (BLK)

Pin	Wire Color	Circuit No.	Function
A	GRY	720	Low Reference
B	YEL	410	ECT Sensor Signal

**Evaporative Emission (EVAP) Canister Purge Solenoid**




**Connector Part Information**

- 12124037
- 2 Way F Metri-Pack 150 (BLK)

Pin	Wire Color	Circuit No.	Function
A	PNK	239	Ignition 1 Voltage
B	DK GRN/WHT	428	EVAP Canister Purge Solenoid Control

**Evaporative Emission (EVAP) Canister Vent Solenoid**




**Connector Part Information**

- 12052643
- 2-Way F Metri-Pack 150 Series Sealed (RED)

Pin	Wire Color	Circuit No.	Function
A	WHT	1310	EVAP Canister Vent Solenoid Control
B	PNK	239	Ignition 1 Voltage -NM2

**Exhaust Gas Recirculation (EGR) Valve**




**Connector Part Information**

- 12186056
- 5 Way F Metri-Pack 150.2 Series (BLK)

Pin	Wire Color	Circuit No.	Function
A	WHT	257	EGR Solenoid Control
B	PPL	719	Low Reference
C	BRN	1456	EGR Valve Position Signal
D	GRY	596	5 Volt Reference
E	RED	1676	EGR Valve Supply Voltage

**Fuel Injector 1**




**Connector Part Information**

- 15326181
- 2 Way F Lock Tab Series (GRY)

Pin	Wire Color	Circuit No.	Function
A	BLK	1744	Fuel Injector 1 Control
B	PNK	1039	Ignition 1 Voltage

**Fuel Injector 2**




**Connector Part Information**

- 15326181
- 2 Way F Lock Tab Series (GRY)

Pin	Wire Color	Circuit No.	Function
A	LT GRN/BLK	1745	Fuel Injector 2 Control
B	PNK	1239	Ignition 1 Voltage


**Fuel Injector 3**



**Fuel Injector 3 Control**


<b>Connector Part Information</b>		<ul style="list-style-type: none"> <li>• 15326181</li> <li>• 2 Way F Lock Tab Series (GRY)</li> </ul>	
Pin	Wire Color	Circuit No.	Function
A	PNK/BLK	1746	Fuel Injector 3 Control
B	PNK	1039	Ignition 1 Voltage

**Fuel Injector 4**



<b>Connector Part Information</b>		<ul style="list-style-type: none"> <li>• 15326181</li> <li>• 2 Way F Lock Tab Series (GRY)</li> </ul>	
Pin	Wire Color	Circuit No.	Function
A	LT BLU/BLK	844	Fuel Injector 4 Control
B	PNK	1239	Ignition 1 Voltage

**Fuel Injector 5**




**Connector Part Information**

- 15326181
- 2 Way F Lock Tab Series (GRY)

Pin	Wire Color	Circuit No.	Function
A	BLK/WHT	845	Fuel Injector 5 Control
B	PNK	1039	Ignition 1 Voltage

**Fuel Injector 6**




**Connector Part Information**

- 15326181
- 2 Way F Lock Tab Series (GRY)

Pin	Wire Color	Circuit No.	Function
A	YEL/BLK	846	Fuel Injector 6 Control
B	PNK	1239	Ignition 1 Voltage

**Fuel Injector 7**




**Connector Part Information**

- 15326181
- 2 Way F Lock Tab Series (GRY)

Pin	Wire Color	Circuit No.	Function
A	RED/BLK	877	Fuel Injector 7 Control
B	PNK	1039	Ignition 1 Voltage

**Fuel Injector 8**




**Connector Part Information**

- 15326181
- 2 Way F Lock Tab Series (GRY)

Pin	Wire Color	Circuit No.	Function
A	DK BLU/WHT	878	Fuel Injector 8 Control
B	PNK	1239	Ignition 1 Voltage

**Fuel Pump And Sender Assembly - Primary**




**Connector Part Information**

- 12160482
- 4 Way F Metri-Pack 150 Series (BLK)

Pin	Wire Color	Circuit No.	Function
A	PPL	1589	Fuel Level Sensor Signal [- Primary]
B	GRY	120	Fuel Pump Supply Voltage
C	BLK	1650	Ground
D	ORN/BLK	510	Low Reference

**Fuel Pump And Sender - Secondary**




**Connector Part Information**

- 12160482
- 4-Way F Metri-Pack 150 Series Sealed (BLK)

Pin	Wire Color	Circuit No.	Function
A	DK BLU	1936	Fuel Level Sensor Signal [- Secondary]
B	LT GRN	1058	Fuel Balance Pump Supply Voltage
C	BLK	1650	Ground
D	ORN/BLK	510	Low Reference

## Fuel Pump (FP) Relay - Secondary




### Connector Part Information

- 12129716
- 4-Way F Metri-Pack 280 FLX LK (MD GRY)

Pin	Wire Color	Circuit No.	Function
30	PNK	239	Ignition 1 Voltage
85	GRY	120	Fuel Pump Supply Voltage
86	TAN	1465	Fuel Pump Relay Control [- Secondary]
87	GRN LT	1058	Fuel Balance Pump Supply Voltage

## Fuel Tank Pressure (FTP) Sensor




### Connector Part Information

- 12059595
- 3 Way F Metri-Pack 150 Series (BLK)

Pin	Wire Color	Circuit No.	Function
A	BLK	470	Low Reference
B	DK GRN	890	Fuel Tank Pressure Sensor Signal
C	GRY	474	5 Volt Reference

Heated Oxygen Sensor (HO2S) Bank 1 Sensor 1 (Delphi)




**Connector Part Information**

- 12162144
- 4 Way F Metri-Pack 150 Series (BLK)

Pin	Wire Color	Circuit No.	Function
A	TAN/WHT	1653	HO2S Low Signal - Bank 1 Sensor 1
B	PPL/WHT	1665	HO2S High Signal - Bank 1 Sensor 1
C	BLK	550	Ground
D	PNK	539	Ignition 1 Voltage

Heated Oxygen Sensor (HO2S) Bank 1 Sensor 2 (Delphi)




**Connector Part Information**

- 12160482
- 4 Way F Metri-Pack 150 Series (BLK)

Pin	Wire Color	Circuit No.	Function
A	TAN/WHT	1669	HO2S Low Signal - Bank 1 Sensor 2
B	PPL/WHT	1668	HO2S High Signal - Bank 1 Sensor 2
C	BLK	550	Ground

D	PNK	1539	Ignition 1 Voltage
---	-----	------	--------------------


**Heated Oxygen Sensor (HO2S) Bank 2 Sensor 1 (Delphi)**



<b>Connector Part Information</b>	<ul style="list-style-type: none"> <li>• 12162144</li> <li>• 4 Way F Metri-Pack 150 Series (BLK)</li> </ul>
-----------------------------------	---

Pin	Wire Color	Circuit No.	Function
A	TAN	1667	HO2S Low Signal - Bank 2 Sensor 1
B	PPL	1666	HO2S High Signal - Bank 2 Sensor 1
C	BLK	550	Ground
D	PNK	539	HO2S High Signal - Bank 2 Sensor 1

**Heated Oxygen Sensor (HO2S) Bank 2 Sensor 2 (Delphi)**




<b>Connector Part Information</b>	<ul style="list-style-type: none"> <li>• 12160482</li> <li>• 4 Way F Metri-Pack 150 Series (BLK)</li> </ul>
-----------------------------------	---

Pin	Wire Color	Circuit No.	Function
A	TAN	1671	HO2S Low Signal - Bank 2 Sensor 2

B	PPL	1670	HO2S High Signal - Bank 2 Sensor 2
C	BLK	550	Ground
D	PNK	1539	Ignition 1 Voltage


**Heated Oxygen Sensor (HO2S) Bank 1 Sensor 1 (Denso)**



<b>Connector Part Information</b>	<ul style="list-style-type: none"> <li>• 12176897</li> <li>• 4 Way F Metri-Pack 150 Series (BLK)</li> </ul>
-----------------------------------	---

Pin	Wire Color	Circuit No.	Function
A	TAN	413	HO2S Low Signal
B	PPL/WHT	1665	HO2S High Signal - Bank 1 Sensor 1
C	PNK	539	HO2S High Signal - Bank 2 Sensor 1
D	BLK	550	Ground


**Heated Oxygen Sensor (HO2S) Bank 1 Sensor 2 (Denso)**



<b>Connector Part Information</b>	<ul style="list-style-type: none"> <li>• 12176897</li> <li>• 4 Way F Metri-Pack 150 Series (BLK)</li> </ul>
-----------------------------------	---

Pin	Wire Color	Circuit No.	Function
A	TAN	413	HO2S Low Signal
B	PPL/WHT	1668	HO2S High Signal [- Bank 1 Sensor 2]
C	PNK	1539	Ignition 1 Voltage
D	BLK	550	Ground


**Heated Oxygen Sensor (HO2S) Bank 2 Sensor 1 (Denso)**



<b>Connector Part Information</b>	<ul style="list-style-type: none"> <li>• 12176897</li> <li>• 4 Way F Metri-Pack 150 Series (BLK)</li> </ul>
-----------------------------------	---

Pin	Wire Color	Circuit No.	Function
A	TAN	413	HO2S Low Signal
B	PPL	1666	HO2S High Signal - Bank 2 Sensor 1
C	PNK	539	HO2S High Signal - Bank 2 Sensor 1
D	BLK	550	Ground


**Heated Oxygen Sensor (HO2S) Bank 2 Sensor 2 (Denso)**



<b>Connector Part Information</b>	<ul style="list-style-type: none"> <li>• 12176897</li> </ul>
-----------------------------------	--

• 4 Way F Metri-Pack 150 Series (BLK)			
Pin	Wire Color	Circuit No.	Function
A	TAN	413	HO2S Low Signal
B	PPL	1670	HO2S High Signal - Bank 2 Sensor 2
C	PNK	1539	Ignition 1 Voltage
D	BLK	550	Ground


**Heated Oxygen Sensor (HO2S) Bank 1 Sensor 1 (6.0L Only)**



<b>Connector Part Information</b>	<ul style="list-style-type: none"> <li>• 12092840</li> <li>• 5 Way M Metri-Pack 150 Series (GRY)</li> </ul>
-----------------------------------	---

Pin	Wire Color	Circuit No.	Function
A	TAN	413	HO2S Low Reference
B	PPL/WHT	1665	HO2S High Signal [- Bank 1 Sensor 1]
D	LT GRN/ WHT	3213	HO2S Heater High Control [- Bank 1 Sensor 1]
E	LT GRN	3212	HO2S Heater Low Control [- Bank 1 Sensor 1]


**Heated Oxygen Sensor (HO2S) Bank 1 Sensor 2 (6.0L Only)**






<b>Connector Part Information</b>		<ul style="list-style-type: none"> <li>• 12164981</li> <li>• 4 Way F Metri-Pack 150 Series (BLK)</li> </ul>	
Pin	Wire Color	Circuit No.	Function
A	TAN/WHT	1669	HO2S Low Signal [- Bank 1 Sensor 2]
B	PPL/WHT	1668	HO2S High Signal [- Bank 1 Sensor 2]
C	BLK	550	Ground
D	PNK	1539	Ignition 1 Voltage

**Heated Oxygen Sensor (HO2S) Bank 2 Sensor 1 (6.0L Only).**




<b>Connector Part Information</b>		<ul style="list-style-type: none"> <li>• 12092840</li> <li>• 5 Way M Metri-Pack 150 Series (GRY)</li> </ul>	
Pin	Wire Color	Circuit No.	Function
A	TAN	413	HO2S Low Reference
B	PPL	1666	HO2S High Signal [- Bank 2 Sensor 1]
D	LT GRN/ WHT	3213	HO2S Heater High Control [- Bank 2 Sensor 1]
E	LT GRN	3212	HO2S Heater Low Control [- Bank 2 Sensor 1]

**Heated Oxygen Sensor (HO2S) Bank 2 Sensor 2 (6.0L Only).**




<b>Connector Part Information</b>		<ul style="list-style-type: none"> <li>• 12164981</li> <li>• 4 Way F Metri-Pack 150 Series (BLK)</li> </ul>	
Pin	Wire Color	Circuit No.	Function
A	TAN	1671	HO2S Low Signal [- Bank 2 Sensor 2]
B	PPL	1670	HO2S High Signal [- Bank 2 Sensor 2]
C	BLK	550	Ground
D	PNK	1539	Ignition 1 Voltage

**Idle Air Control (IAC) Valve**



<b>Connector Part Information</b>		<ul style="list-style-type: none"> <li>• 12162190</li> <li>• 4 Way F Metri-Pack 150.2 Series (BLK)</li> </ul>	
Pin	Wire Color	Circuit No.	Function
A	LT GRN/BLK	444	IAC Coil B Low Control
B	LT GRN/WHT	1749	IAC Coil B High Control
C	LT BLU/BLK	1748	IAC Coil A Low Control
D	LT BLU/WHT	1747	IAC Coil A High Control

Ignition Coils - 1,3,5,7 (Inline C148)




**Connector Part Information**

- 12047938
- 7-Way F Metri-Pack 150 Series Sealed (LT GRY)

Pin	Wire Color	Circuit No.	Function
A	BLK	550	Ground
B	RED	2127	IC 7 Control
C	GRN DK	2125	IC 5 Control
E	BRN	2129	Low Reference
F	BLU LT	2123	IC 3 Control
G	PPL	2121	IC 1 Control
H	PNK	1039	Ignition 1 Voltage

Ignition Coils - 2,4,6,8 (Inline C149)




**Connector Part Information**

- 12047938
- 7-Way F Metri-Pack 150 Series Sealed (LT GRY)

Pin	Wire Color	Circuit No.	Function
-----	------------	-------------	----------

A	BLK	550	Ground
B	RED/WHT	2122	IC 2 Control
C	GRN DK/WHT	2124	IC 4 Control
E	BRN/WHT	2130	Low Reference
F	BLU LT/WHT	2126	IC 6 Control
G	PPL/WHT	2128	IC 8 Control
H	PNK	1239	Ignition 1 Voltage


**Intake Air Temperature (IAT)/Mass Air Flow (MAF) Sensor**



<b>Connector Part Information</b>	<ul style="list-style-type: none"> <li>• 15305555</li> <li>• 5-Way F Metri-Pack 150 Series (BLK)</li> </ul>
-----------------------------------	---

Pin	Wire Color	Circuit No.	Function
A	BLK	552	Low Reference
B	TAN	472	IAT Sensor Signal
C	BLK/WHT	451	Ground
D	PNK	239	Ignition 1 Voltage
E	YEL	492	MAF Sensor Signal

**Knock Sensor (KS) 1 and Knock Sensor (KS) 2**






**Connector Part Information**

- 12052641
- 2 Way F Metri-Pack 150 Series (BLK)

Pin	Wire Color	Circuit No.	Function
A	DK BLU	496	Knock Sensor 1 Signal (Front)
B	LT BLU	1876	Knock Sensor 2 Signal (Rear)

**Manifold Absolute Pressure (MAP) Sensor**




**Connector Part Information**

- 12129946
- 3 Way F Metri-Pack 150 Series (MD GRY)

Pin	Wire Color	Circuit No.	Function
A	ORN/BLK	469	Low Reference
B	LT GRN	432	MAP Sensor Signal
C	GRY	597	5 Volt Reference

**Secondary Air Injection (AIR) Solenoid**






**Connector Part Information**

- 12052641
- 2 Way F Metric Pack 150 Series (BLK)

Pin	Wire Color	Circuit No.	Function
A	RED	78	AIR Pump Supply Voltage
B	BLK	550	Ground

**Secondary Air Injection (AIR) Pump Relay**




**Connector Part Information**

- 12129716
- 4 Way F Metri-Pack 280 Series (MD GRY)

Pin	Wire Color	Circuit No.	Function
30	RED	642	Battery Positive Voltage
85	PNK	639	Ignition 1 Voltage
86	BRN	436	AIR Pump Relay Control
87	RED	78	AIR Pump Supply Voltage

**Secondary Air Injection (AIR) Pump**






**Connector Part Information**

- 12191968
- 2 Way F Metri-Pack 280 Series (GRY)

Pin	Wire Color	Circuit No.	Function
A	RED	78	AIR Pump Supply Voltage
B	BLK	550	Ground

**Throttle Actuator Control (TAC) Motor**




**Connector Part Information**

- 12077900
- 2 Way F Metri-Pack Series 280 Series (BLK)


Pin	Wire Color	Circuit No.	Function
A	BRN	582	TAC Motor Control - 2
B	YEL	581	TAC Motor Control - 1

**Throttle Position (TP) Sensor**




<b>Connector Part Information</b>		<ul style="list-style-type: none"> <li>• 12078090</li> <li>• 3 Way F Metri-Pack Series 150 Series Pull (BLK)</li> </ul>	
Pin	Wire Color	Circuit No.	Function
A	GRY	416	Reference Voltage Feed (5 Volts)
B	BLK	452	Throttle Position (TP) Sensor Return
C	DK BLU	417	Throttle Position (TP) Sensor Signal

[Throttle Position \(TP\) Sensor \(Dual Track\)](#)



<b>Connector Part Information</b>		<ul style="list-style-type: none"> <li>• 12162261</li> <li>• 6 Way F Metri-Pack Series 150.2 Series (BLK)</li> </ul>	
Pin	Wire Color	Circuit No.	Function
A	GRY	416	5 Volt Reference
B	BLK	452	Low Reference
C	DK GRN	485	TP Sensor 1 Signal
D	LT BLU/BLK	1688	5 Volt Reference
E	BLK/WHT	1704	Low Reference
F	PPL	486	TP Sensor 2 Signal

[Vehicle Speed Sensor \(VSS\)](#)




**Connector Part Information**

- 12162193
- 2-Way F M/P 150.2 P2S SLD (BLK)

Pin	Wire Color	Circuit No.	Function
A	PPL/WHT	821	VSS High Signal
B	LT GRN /BLK	822	VSS Low Signal

**Vehicle Speed Sensor (VSS) Adapter (4WD Only) - C1**




**Connector Part Information**

- 12162194
- 2 Way F Metri-Pack 150.2 Series (BLK)

Pin	Wire Color	Circuit No.	Function
A	PPL/WHT	821	VSS High Signal
B	LT GRN/BLK	822	VSS Low Signal

**Vehicle Speed Sensor (VSS) Adapter (4WD Only) - C2**



**Connector Part Information**

- 12162193
- 2-Way F M/P 150.2 P2S SLD (BLK)

Pin	Wire Color	Circuit No.	Function
A	LT GRN /BLK	822	VSS Low Signal
B	PPL/WHT	821	VSS High Signal

<- Back

Forward ->

**Document ID# 652969**  
**2001 Chevrolet/Geo Tahoe - 4WD**

Print